

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/721,035	11/21/2003	Helen T. Pham	PHA.001.P	5030
7590 12/28/2004			EXAMINER	
David B. Waller			CANFIELD, ROBERT	
Suite 214 5677 Oberlin Drive			ART UNIT	PAPER NUMBER
San Diego, CA 92121			3635	
			DATE MAILED: 12/28/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summer	10/721,035	PHAM, HELEN T.			
Office Action Summary	Examiner	Art Unit			
	Robert J Canfield	3635			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 21 No.	ovember 2003.				
	action is non-final.				
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims		•			
4) ☐ Claim(s) 1-14 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-14 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9)☑ The specification is objected to by the Examine 10)☑ The drawing(s) filed on 21 November 2003 is/al Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11)☐ The oath or declaration is objected to by the Example 11.	re: a) accepted or b) object drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). sected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) ☑ Notice of References Cited (PTO-892)	A) Theories Commence	(PTO 412)			
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/721,035 Page 2

Art Unit: 3635

1. This is a first Office action on the merits for application serial number 10/721035 filed 11/21/03. Claims 1-14 are pending.

- 2. The drawings are objected to because the headings "Figure 1" and "Figure 1 (cont.)" should be deleted from above the sheet numbers. The figures are comprised of figures 1A -1E. There is no figure 1. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the

Application/Control Number: 10/721,035

Art Unit: 3635

description: 10. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 3

4. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the head rest being removably affixed to the device must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for

consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

5. The disclosure is objected to because of the following informalities: the brief descriptions of the figures do not appear to agree with the views shown.

Appropriate correction is required.

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1-3, 5, 7 and 9-11are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent 3,386,456 to Walker.

Walker provides base support beam 24, two V-shaped sides, lower support beam 23 joined to an upper support beam 22 by connection means 25 and retractable anchor means in the form of stakes 49 which may be retracted flush with support beam 24. Column 3, line 65.

Application/Control Number: 10/721,035 Page 5

Art Unit: 3635

8. Claims 1, 3, 5, 7, 8, 12 and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent 3,404,915 to De Souza Filho.

De Souza Filho provides base beam 34, lower support frames 18 connected to upper support frames 33+62 with connecting means 50 and 51 and removable head and neck rest 16.

9. Claims 1-5 ands 7-10 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent 3,845,170 to Anderson.

Anderson provides structural frame 12+14, base support beam 17, two V-shaped sides comprised of bottom support beams 18 and 20 and top support beams 44 and 45 joined by hinge connecting means 50 which inherently must have a pivot pin, rivet or bolt. Canvas cover means 51 is provided having side portions 53 and 53' and stakes 76 are also provided.

- 10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 11. Claims 6 and 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 3,845,170 to Anderson.

As to claim 6, the examiner takes Official Notice that netting would have been an obvious material choice to one having ordinary skill in the art for sides 53 and 53'

Application/Control Number: 10/721,035

Art Unit: 3635

of Anderson as netting is a well known cover material in the tent arts particularly for side walls. It would have been an obvious material choice to allow for cross ventilation of the Anderson device 10.

Page 6

As to claims 12-14, the examiner takes Official Notice that it would have been obvious to one having ordinary skill in the art at the time of the invention that a head and neck rest could have been provided in combination with the device 10 of Anderson. It is well known in the tent arts that a pillow or "head and neck rest" may be used with tents. It would have been obvious to one having ordinary skill in the art at the time of the invention that a pillow could have been used with the tent of Anderson so that a user may comfortably rest ones head. Inflatable pillows are well known in the art as well as removably attaching pillows to tents and canopy devices.

- 12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert J Canfield whose telephone number is 703-308-2482. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on 703-308-0839. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert J Canfield Primary Examiner Art Unit 3635

12/22/04